AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

1-33. (Canceled)

34. (Currently Amended) A composition of any of claims 56, 62 or 64 claims 56 or 62, comprising tri-sodium and tetra-sodium EDTA.

35-38. (Canceled)

39. (Currently Amended) A composition of any of claims 32, 56, 57, 61, 62, or 63 claims 56 or 62, wherein the solution comprises saline.

40-44. (Canceled)

- 45. (Currently Amended) A composition provided in a dry or partially hydrated formulation that, upon reconstitution with a solution, forms an antiseptic composition of any of claims 32, 56, 57, 61, 62, or 63 claims 56 or 62.
- 46. (Currently Amended) A composition of any of claims 32, 56, 57, 61, 62, or 63 claims 56 or 62 in a pre-filled syringe.
- 47. (Currently Amended) A composition of any of claims 32, 56, 57, 61, 62, or 63 claims 56 or 62 in a single-dosage vial.

48-55. (Canceled)

56. (Previously Presented) A lock flush composition comprising at least one salt of ethylene diamine tetraacetic acid (EDTA) in solution, wherein the at least one EDTA salt comprises at least one of tri-sodium and tetra-sodium EDTA at a concentration of at least 2.0% (w/v) and less than 15% (w/v), wherein the solution further comprises between 0.5% and 10% (v/v) ethanol and water, wherein the lock flush composition has a pH of at least 9.5, wherein the lock flush composition is packaged in a sterile, non-pyrogenic form, and wherein the lock flush composition is biocompatible for use in in-dwelling access catheters, urinary catheters, nasal tubes and throat tubes.

57. (Canceled)

58. (Currently Amended) A composition of any of claims 32, 56, 61, 62 or 64 claims 56 or 62 wherein the EDTA salt provides at least 50% of a total antimicrobial activity of the composition.

59-61. (Canceled)

62. (Previously Presented) A lock flush composition comprising at least one salt of ethylene diamine tetraacetic acid (EDTA) in solution, wherein the at least one EDTA salt comprises at least one of tri-sodium and tetra-sodium EDTA at a concentration of at least 2.0% (w/v) and less than 15% (w/v), wherein the lock flush composition has a pH of at least 9.5, wherein the lock flush composition is packaged in a sterile, non-pyrogenic form, and wherein the lock flush composition is biocompatible for use in in-dwelling access catheters, urinary catheters, nasal tubes and throat tubes.

63-64. (Canceled)